



Contents

Volume 76 (1994)

| | |
|---|-------|
| Interleukin-6 does not activate protein breakdown in rat skeletal muscle C. Garcia-Martinez, F.J. López-Soriano, J.M. Argilés (Barcelona, Spain) | 1-4 |
| Effect of aspirin on incidence and growth of aberrant crypt foci induced in the rat colon by 1,2-dimethylhydrazine E. Mereto, L. Frencia, M. Ghia (Genoa, Italy) | 5-9 |
| Gomisin A, a lignan component of <i>Schizandra</i> fruits, inhibits development of preneoplastic lesions in rat liver by 3'-methyl-4-dimethylamino-azobenzene M. Nomura, M. Nakachiyama, T. Hida, Y. Ohtaki, K. Sudo, T. Aizawa, M. Aburada, K.-I. Miyamoto (Kanazawa and Tokyo, Japan) | 11-18 |
| Angiotensin II elevates cytosolic free calcium in human lung adenocarcinoma cells via activation of AT ₁ receptors V.K. Batra, V. Gopalakrishnan, J.R. McNeill, R.A. Hickie (Saskatoon, Canada) | 19-24 |
| Effect of glutathione levels on aflatoxin B ₁ -DNA binding in livers and kidneys of male rats and hamsters pretreated with buthionine sulfoximine and diethylmaleate P. Gopalan-Kriczky, S. Hiruma, P.D. Lotlikar (Philadelphia, PA) | 25-30 |
| Pharmacokinetics, biodistribution and tumor localization of two anti-human B-cell chronic lymphocytic leukemia monoclonal antibodies and their F(ab)' ₂ fragments in a xenograft model Z. Zhu, T. Ghose, S. Iles, C. Yang, S.H.S. Lee, L.A. Fernandez, C.L.Y. Lee (Nova Scotia, Canada; Tianjin, China) | 31-44 |
| Detoxification of cyclophosphamide by human aldehyde dehydrogenase isozymes U. von Eitzen, D. Meier-Tackmann, D.P. Agarwal, H.W. Goedde (Hamburg, Germany) | 45-49 |
| Increase of cell viability and P-glycoprotein expression in Chinese hamster ovary cells after 24 hours' exposure to vincristine S.E. Vickers, J.R. Warr (York, UK) | 51-56 |
| Enhancing effect of high dietary iron on lung tumorigenesis in mice T. Yano, Y. Obata, G. Ishikawa, T. Ichikawa (Tokyo and Hyogo, Japan) | 57-62 |
| Expression of CD44 in prostate cancer cells A.Y. Liu (San Diego, CA) | 63-69 |
| Stimulation of type IV collagenase expression by linoleic acid in a metastatic human breast cancer cell line X.-H. Liu, D.P. Rose (New York, NY) | 71-77 |
| Announcements | 79 |
| Cytostatic and cytotoxic activity of sex steroids against human leukemia cell lines M.V. Blagosklonny, L.M. Neckers (Bethesda, MD) | 81-86 |
| High levels of <i>c-myc</i> gene expression precede point mutational activation of <i>Ki-ras</i> in mouse lung cancer P. Polly, R.C. Nicholson (Sydney, Australia) | 87-92 |
| Sequence analysis of the proximal promoter region of the human α -fetoprotein gene in hepatocellular carcinoma K. Igarashi, Y. Aoyagi, S. Ohkoshi, T. Yokota, S. Mori, T. Suda, T. Kamimura, H. Asakura (Niigata, Japan) | 93-99 |

| | |
|---|---------|
| The effect of chenodeoxycholic acid on the development of aberrant crypt foci in the rat colon L.A.M. Sutherland, R.P. Bird (Manitoba, Canada) | 101-107 |
| Successful topical treatment of oral lichen planus and leukoplakias with fenretinide (4-HPR) N. Tradati, F. Chiesa, N. Rossi, R. Grigolato, F. Formelli, A. Costa, G. de Palo (Milano, Italy) | 109-111 |
| Enhanced growth of mammary adenocarcinoma in rats by chloroquine and quinacrine P. Dutta, R. Karmali, J.T. Pinto, R.S. Rivlin (New York, NY) | 113-119 |
| Spermidine acetylation in N^1 and N^8 position in rat brain and in N -ethyl- N -nitrosourea-induced gliomas A. Sessa, E. Broglia, M.R. Terreni, A. Perin (Milano, Italy) | 121-125 |
| Laser scanning microscopic analysis of DNA damage in frozen tissues D.W. Fairbairn, W.A. Reyes, R. Van Grigsby, K.L. O'Neill (Provo, UT) | 127-132 |
| A diet containing the lectin phytohaemagglutinin (PHA) slows down the proliferation of Krebs II cell tumours in mice I.F. Pryme, A.J. Pusztai, S. Bardocz (Bergen, Norway; Aberdeen, Scotland) | 133-137 |
| Effect of Calphostin C (PKC inhibitor) on daunorubicin resistance in P388/ADR and HL60/AR cells: reversal of drug resistance possibly via P-glycoprotein S. Gupta, K. Patel, H. Singh, S. Gollapudi (Irvine, CA) | 139-145 |
| Influences of aging and sex on renal pelvic carcinogenesis by N -butyl- N -(4-hydroxybutyl)nitrosamine in NON/Shi mice T. Murai, S. Mori, M. Hosono, Y. Takeuchi, T. Ohhara, S. Makino, Y. Hayashi, R. Takeda, S. Fukushima (Osaka and Shiga, Japan) | 147-153 |
| α_1 -Antichymotrypsin complexes in human breast cyst fluids F. Mannello, M. Malatesta, G. Bocchiotti, G. Gazzanelli (Urbino and Acqui, Italy) | 155-159 |
| Lack of promoting activity of 7-methoxy-2-nitro-naphtho-[2,1- b]furan (R7000) in a medium-term rat liver bioassay L. Cui, R. Hasegawa, F. Zajdela, P. Puapairoj, T. Shirai, N. Ito (Nagoya, Japan; Paris, France; Khon Kaen, Thailand) | 161-166 |
| Expression of plasminogen activator inhibitor type 1 (PAI-1) by HT-29di human large bowel carcinoma cells is modulated as a function of epithelial differentiation P.J. Higgins, M. Lipkin (Albany and New York, NY) | 167-175 |
| Monoamine oxidase B inhibitor enhances experimental carcinogenesis in rat colon induced by azoxy-methane H. Iishi, M. Tatsuta, M. Baba, H. Taniguchi (Osaka, Japan) | 177-183 |
| Inhibition of ubiquinone and cholesterol synthesis by the monoterpene perillyl alcohol Z. Ren, M.N. Gould (Madison, WI) | 185-190 |
| Letter to the editor | |
| Risk of HTLV-I infection in Japanese women who are last in birth order M. Umemoto, H. Take, K. Kusuhara, K. Kuraya (Kagoshima, Japan) | 191-195 |
| Subject index Volume 76 | 197-199 |
| Author index Volume 76 | 201-202 |
| Contents Volume 76 | 203-204 |

